

Symmetrix™ SmartSeam FRP Panels

SmartSeam eliminates traditional panel joints for a clean, continuous look.



Stunning tile look, without the hassle and cost of tile.

Symmetrix™ SmartSeam FRP

Symmetrix™ SmartSeam FRP tile panels bring vibrancy to any space and are the ideal solution for covering old or damaged ceramic tile. Initially a smooth FRP panel, Symmetrix is physically grooved with state-of-the-art CNC equipment to emulate the look and depth of tile with grout. Whether you're planning a new construction or a commercial retrofit, these faux tile panels are:

- Ultra thin (3/32") and easily install over nearly any surface in hours, not days.
- Sealed with a durable, proprietary sani-coat for unmatched resistance to stains, mold, and mildew.
- Simple to clean and maintain.
- Crack and impact resistant.
- Available in 4'x4' or 4'x8' tile wall panels and custom patterns.



Features & Benefits



Installs in hours, not days, over most any surface.



Doesn't crack like ceramic tile grout and resists stains, mold and mildew.




Fiberglass core provides serious impact resistance.



Sani-coat sealer makes the entire surface easy to clean.

Universal Tile Patterns

Symmetrix SmartSeam is available in five standard color combinations and five universal tile patterns. Standard colors include: White panel with white grooves, white panel with black grooves, black panels with white grooves, white panels with grey grooves, and grey panels with white grooves. No division molding required.




Sherwin-Williams Color

We've partnered with Sherwin-Williams to offer over 7,000 colors to match any shade or color you need! Choose a color, or let Marlite help with the selected Sherwin-Williams' Color Trends. Visit www.marlite.com for more patterns and color trends.



Innovative Tile Patterns


Take tile design to another level! These truly innovative patterns are difficult to achieve using real tile. But with SmartSeam technology, intricate design is as easy as installing a standard FRP panel. Visit marlite.com for more patterns and drawing specifications.



BlueSky Digital Printing



Ready for something more? With Marlite's BlueSky™ advance finishing system and its ability to print up to 600 dpi, even the smallest details burst into stunning clarity. Reproduce natural surfaces like wood, stone, and marble, or let your imagination run wild with abstract prints, graphics, detailed murals, and more. The sky is the limit!



Panel Specifications

Substrate: Fiberglass Reinforced Plastic (FRP)

Panel Dimensions: (Nominal Panel Sizes)

• SmartSeam Subway: 4' x 4', 5' x 3', and 4' x 8'

• SmartSeam Square: 4' x 8'

• SmartSeam Rectangle: 4' x 8'

• SmartSeam Linear: 4' x 8'

• SmartSeam Beadboard: 4' x 4'

Fire Rating: Class III/C

Meets USDA/FSIS requirements

Installation



FRP panels are easily trimmed on a table saw. over the back of



Spread adhesive the panel.



Create swirl patterns on the fingerlock joints.



Align the finger joints and press panel to the wall.



Enjoy a seamless appearance that looks like ceramic tile.

Trim Options



M350 Inside Corner



M360 **Outside Corner**



M375 Edge



M961 PVC Corner Molding



F560SS Stainless Steel Corner Guard

Marlite Approved Adhesives



C551 FRP Adhesive Advance Polymer C109 Adhesive MS-250 Clear Silicone

















www.marlite.com 800.377.1221

1 Marlite Drive Dover, Ohio 44622

LIT-FRP-202002 Effective 04/04/2022 Copyright 2022